

STABILIZERS FOR NON-AQUEOUS INKS

FIELD OF THE INVENTION

5 This invention relates to non-aqueous ink formulations or dispersions containing a water soluble base or acid that help in increasing stability and resolubility.

BACKGROUND OF THE INVENTION

10 Hot melt polyamide systems are high performance inks which yield high bond strength on a variety of packaging substrates. At the same time, such inks give extremely low solvent retention. The very significant disadvantage in using these inks is that they suffer from poor stability, rheology and resolubility in particular red inks.

SUMMARY OF THE INVENTION

15 The present invention provides a non-aqueous ink formulation or dispersion comprising: (a) a resin; (b) a pigment; (c) an organic solvent; and (d) a water-soluble compound selected from the group consisting of base, aminoalcohol, acid and aminoacid.

20 The present invention also provides a method of increasing the stability and resolubility of non-aqueous inks formulations or dispersions containing (a) a resin; (b) a pigment; (c) an organic solvent, comprising adding to said formulation or dispersion a water-soluble compound

selected from the group consisting of base, aminoalcohol, acid and aminoacid.

DETAILED DESCRIPTION OF THE INVENTION

5 It has now surprisingly been found that small amounts of water-soluble acids such as citric acid or aminoacids such as paraaminobenzoic acid or water-soluble bases such as sodium hydroxide or aminoalcohols such as amino-methyl propanol can greatly improve stability, rheology and resolubility of non-aqueous ink formulations or
10 dispersions, in particular laminating inks.

Preferably, the resin present in the formulations of the present invention is polyamide resin, more preferably, a hot melt polyamide resin. Also preferably, the pigment
15 present in the formulations of the present invention is selected from the group consisting of monoazo yellow, monoarylide yellow, diarylide yellow, naphthol red, rubine red, lithol rubine, phtalocyanine blue and carbon black. Also preferably, the organic solvent is selected from the group consisting of ethanol, n-propanol, iso-propanol,
20 butanol, and propyl acetate.

Preferably, the amount of the water-soluble base or acid used in the present invention is about 0.01 to 5.0%, more preferably about 0.1 to 1.0% by weight of the total weight of the formulation or dispersion.

The water-soluble base may be an inorganic or organic base. Examples of inorganic bases suitable for the present invention include but are not limited to sodium hydroxide, potassium hydroxide and ammonium hydroxide. Suitable organic bases include amines and aminoalcohols. The amine is preferably selected from the group consisting of monoethanolamine, triethanolamine, dimethylethanolamine and diethylenetriamine while the aminoalcohol is preferably selected from the group consisting of aminopropanol, aminoethylpropanediol, aminobutanol, diethylaminoethanol and dimethylaminopropanol.

The water-soluble acid may be an organic or inorganic acid. Examples of inorganic acids include but are not limited to hydrochloric acid, nitric acid and sulfuric acid. Examples of organic acids include acetic acid, citric acid and paraaminobenzoic acid.

A typical commercial formulation of a hot melt polyamide system consists by weight % of:

	Hot melt polyamide resin	10.6%
20	Low molecular weight polyamide resin	3.0%
	n-propanol	71.4%
	Pigment	<u>15.0%</u>
	Total	100.0%

The stability and resolubility of such a commercial formulation are deemed to be poor.

Example I

A red laminating ink was formulated as follows

5	<u>Component</u>	<u>% by weight</u>
	Hot melt polyamide resin I	10.6%
	Low molecular weight polyamide resin	3.0%
	Lithol Rubine red pigment	15.0%
10	n-propanol	70.7%
	Amino-methyl-propanol	0.7%

Resolubility was evaluated visually. If after resolubilization dispersion contained only small flakes of dry ink film, resolubility was rated poor (-----). When the dispersion after resolubilization was completely free of flakes or any aggregates the resolubility was rated excellent (+++++).

Stability was evaluated rheologically. If the viscosity of the formulation does not increase by more than 5 seconds (Zahn #2 cup) in overnight test at 50°C the stability is considered good.

The stability and resolubility of this formulation was rated as very good.

Example II

A red laminating ink was formulated as follows:

	<u>Component</u>	<u>% by weight</u>
	Hot melt polyamide resin II	10.6%
5	Low molecular weight polyamide resin	3.0%
	Lithol Rubine red pigment	15.0%
	n-propanol	70.8%
	Citric acid	0.6%

10

The stability and resolubility were evaluated visually as described in Example I. The resolubility and stability of this formulation were rated as very good.

Example III

15 A red laminating ink was formulated as follows:

	<u>Component</u>	<u>% by weight</u>
	Hot melt polyamide resin I	10.6%
	Low molecular weight polyamide resin	3.0%
20	Lithol Rubine red pigment	15.0%
	n-propanol	71.25%
	Sodium hydroxide	0.15%

25 The stability and resolubility were evaluated visually as described in Example I. The resolubility and stability of this formulation were rated as excellent.

Example IV

A red laminating ink was formulated as follows:

	Hot melt polyamide resin II	10.6%
5	Low molecular weight polyamide resin	3.0%
	Lithol rubine red pigment	15.0%
	n-propanol	70.7%
	paraaminobenzoic acid	0.7%

10 The stability and resolubility were evaluated visually
or described in Example I. The stability and resolubility
of this formulation were rated as very good.

Example V

15 Bond strength of the laminating inks of Examples I-IV
(applied to treated polypropylene films) was measured using
Instron 4400 Tensile Tester. The results, along with the
above resolubility data, are presented below:

INK	RESOLUBILITY	BOND STRENGTH (g/linear inch)	STABILITY
Typical Formulation	Poor (-----)	500 - 550	Poor
Example I	Very Good (++++)	550 - 600	Very Good
Example II	Very Good (++++)	550 - 600	Very Good
Example III	Excellent (+++++)	500 - 550	Excellent
Example IV	Very good (++++)	500 - 550	Very Good

5

10

As seen, the addition of small amount of those water soluble chemicals to non-aqueous laminating inks had no negative effect on the bond strength.

15

Resolubility was evaluated visually. If after resolubilization dispersion contained only small flakes of dry ink film, resolubility was rated poor (-----). When the dispersion after resolubilization was completely free of flakes or any aggregates the resolubility was rated excellent (+++++).

The invention has been described in terms of preferred embodiments thereof, but is more broadly applicable as will be understood by those skilled in the art. The scope of the invention is only limited by the following claims.